

6. (Original) The method of claim 1, wherein accounting information relating to a wireless communication network is obtained from accounting messages sent from the wireless communication network.

7. (Original) The method of claim 6, wherein the accounting messages sent from the wireless communication network include one or more of a connection setup airlink record, a connection release airlink record, an active start airlink record, an active stop airlink record, and a short data burst airlink record.

8. (Original) The method of claim 3, wherein the predetermined event is receipt of a session release airlink record from the wireless communication network.

9. (Original) The method of claim 3, wherein the predetermined event is receipt of an active stop airlink record.

10. (Original) The method of claim 3, wherein the predetermined event is receipt of a short data burst stop airlink record.

11. (Original) The method of claim 1, wherein the accounting information is accumulated over a series of short data bursts.

12. (Original) The method of claim 1, wherein the accounting information is accumulated over a series of active traffic channel transmissions.

13. (Original) The method of claim 1, wherein the accounting information includes the number of octets of data received from the mobile terminal and the number of octets sent to the mobile terminal.

14. (Original) The method of claim 13, wherein the number of octets of data received from the mobile terminal and the number of octets sent to the mobile terminal further

includes the number of octets received from the mobile terminal in the form of short data bursts and the number of octets sent to the mobile terminal in the form of short data bursts.

15. (Previously Presented) The method of claim 1, wherein the accounting information includes a plurality of short data bursts.

16. (Original) The method of claim 3, wherein the predetermined event is the expiration of an interim timer.

17. (Original) The method of claim 1, further comprising:


generating a session identifier, wherein the accounting information is accumulated based on the session identifier.

18. (Original) The method of claim 1, wherein the accounting information is associated with a session having multiple IP addresses and wherein accounting information for the wireless communication network and the packet data network are accumulated based on a session identifier and an IP address from the multiple IP addresses

19-42 (Cancelled)

43. (Previously Presented) The method of claim 1, wherein the stop record sent to the accounting server includes the number of short data bursts, the total number of short data burst octets, and the octet count for the plurality of short data burst transmissions.

44. (Previously Presented) The method of claim 1, wherein the start record is a start airlink record, and wherein the stop record is a stop airlink record.



Creation date: 07-14-2004

Indexing Officer: SKHUON - SREYTO KHUON

Team: 3600PrintWorkingFolder

Dossier: 10636443

Legal Date: 07-14-2004

No.	Doccode	Number of pages
1	CTNF	7
2	892	1
3	SRFW	1

Total number of pages: 9

Remarks:

Order of re-scan issued on